

AMENDED

Serial No. 24952

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... MAR 17 1969

Returned to applicant for correction..... APR 14 1969

Corrected application filed..... APR 30 1969

Map filed..... MAR 23 1964 under 21892

The applicant..... Joe Ingersoll
of 803 South Seventh Street....., County of Las Vegas
State of Nevada 89104....., hereby make... application for permission to appropriate the public
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is Las Vegas Artesian Basin (Underground
Name of stream, lake or other source.
source).

2. The amount of water applied for is 1.5 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for Commercial (Health spa - Hot baths, swimming pool,
etc.) and Irrigation, power, mining, manufacturing, domestic, or other use. domestic.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 11. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 21,

T. 22 S., R. 61 E., M.D.B.&M., or at a point from which the north-
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
west corner of said Section 21 bears N. 21°29'44" W., a distance of
it should be stated. 1,393.30 feet.

6. Place of use. NW $\frac{1}{4}$ NW $\frac{1}{4}$ and the NE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 21, T. 22 S., R. 61 E.,
Describe by legal subdivision, if on unsurveyed land it should be so stated.
M.D.B.&M.

7. Use will begin about January 1st and end about December 31st, of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) This is an existing well that was
permitted under No. 21892, but the permit has lapsed.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works..... This is an existing well.
10. Estimated time required to construct works..... This is an existing well.
11. Remarks..... The water is to be used for the operation of a health spa development with hot baths, swimming pools and steam baths. This application is a refiling on Permit No. 21892, and if at all possible, use the supporting map filed under Permit 21892 to support this application.

Applicant..... Joe Ingersoll

By s/ Sterling C. Ditsworth
Sterling C. Ditsworth, State Water Right
Compared..... dc/hs dc/hs Surveyor No. 358, c/o Boyle Engineering,
1209 South Commerce St., Las Vegas, Nevada.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A meter must be installed in the discharge pipeline, near the point of diversion and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030; therefore, the State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.5 cubic feet per second, but not to exceed 228.0 mg annually from all sources.

Actual construction work shall begin on or before March 1, 1970

Proof of commencement of work shall be filed before April 1, 1970

Work must be prosecuted with reasonable diligence and be completed on or before September 1, 1970

Proof of completion of work shall be filed before October 1, 1970

Application of water to beneficial use shall be made on or before September 1, 1971

Proof of the application of water to beneficial use shall be filed on or before October 1, 1971

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed APR 7 1970

Completion of work filed NOV 2 1971

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

Recorded Bk. Page

County Recorder

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 1st day of December

A.D. 19 69

State Engineer